

palmedic



Experience the Difference

Probetection™

INDEX

Page 03 to 06	TOE/TEE Transducer covers for Cardiology (Adult)
Page 07 to 07	Transducer covers for Cardiology (Paediatric)
Page 08 to 08	Transducer covers for Cardiology (Neonates)
Page 09 to 15	Transducer covers for Gynaecology & Urology
Page 16 to 21	Transducer covers for Radiology & Intra-operative applications
Page 22 to 23	Protective bite-guards

- All non-sterile Probetection™ transducer covers are, due to hygienic reasons, single packed.
- All Probetection™ TOE/TEE covers used in Cardiology are, to avoid possible allergic reactions, made out of a medical graded non latex material.
- All Probetection™ TOE/TEE covers (both sterile and non-sterile) used in Cardiology are registered as a medical device Class IIa following the European medical device directive.



Cardiology

A perfect fit for all kind of **ultrasound transducers** used in cardiology.

Trans Oesophageal/Esophageal Echocardiography

Ultrasound transducers are widely used in cardiology departments and during heart surgeries. The Probetection™ line includes non sterile and sterile transducer covers and cover kits. Especially designed for Trans-Oesophageal or Trans-Esophageal Echocardiography (TOE/TEE) transducers for adults , paediatric and neonatal patients. The Probetection™ products are available as a single packed cover, a single packed cover on an applicator, or as a complete kit.

For these particular TOE/TEE procedures Palmedic offers a complete line of ultrasound transducer covers to protect the patients and healthcare workers against cross contamination.

On the next pages you will find a complete list of models and shapes available.



Probetection™ TOE/TEE transducer covers **for adults** (Square tip)

REF 1250-01

Non sterile TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1250-02

Sterile TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1250-03

Non sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1250-04

Sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1250-05

Non sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1250-06

Sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1250-10

Sterile Extended TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length, tapered to 200 mm over 900 in length | Total length 2000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1250-11

Non sterile Extended TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length, tapered to 200 mm over 900 in length | Total length 2000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

Probetection™ TOE/TEE transducer covers **for adults** (Round tip)

REF 1251-01

Non sterile TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1251-02

Sterile TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1251-03

Non sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1251-04

Sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1251-05

Non sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1251-06

Sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length | Total length: 1100 mm.

REF 1251-10

Sterile Extended TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length, tapered to 200 mm over 900 in length | Total length 2000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1251-11

Non sterile Extended TOE/TEE kit - Ø Diameter Tip: 15 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 600 mm in length, tapered to 200 mm over 900 in length | Total length 2000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

Probetection™ TOE/TEE paediatric transducer covers (Round tip)

REF 1260-01

Non sterile TOE/TEE kit - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1260-02

Sterile TOE/TEE kit - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1260-03

Non sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

REF 1260-04

Sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

REF 1260-05

Non sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

REF 1260-06

Sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length | Total length: 1000 mm.

REF 1260-10

Sterile Extended TOE/TEE kit - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length, tapered to 200 mm over 900 in length | Total length 1900 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1260-11

Non sterile Extended TOE/TEE kit - Ø Diameter Tip: 11 mm over 500 mm in length, tapered to Ø Diameter : 31 mm over 500 mm in length, tapered to 200 mm over 900 in length | Total length 1900 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

Probetection™ TOE/TEE/TnTE transducer covers **for neonates** multiplane microTEE (Round tip)

REF 1280-01

Non sterile TOE/TEE kit - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1280-02

Sterile TOE/TEE kit - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1280-03

Non sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

REF 1280-04

Sterile TOE/TEE Cover including a twist-lock - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

REF 1280-05

Non sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

REF 1280-06

Sterile TOE/TEE Cover on an applicator including a twist-lock - Ø Diameter Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length | Total length: 980 mm.

REF 1280-10

Sterile Extended TOE/TEE kit - Ø Diameter : Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length , tapered to 200 mm over 900 in length | Total length 1880 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.

REF 1280-11

Non sterile Extended TOE/TEE kit - Ø Diameter : Tip: 9 mm over 550 mm in length, tapered to Ø Diameter : 31 mm over 430 mm in length , tapered to 200 mm over 900 in length | Total length 1880 mm.

A kit contains a transducer cover on an applicator, a twist lock, an extended 10 ml. syringe filled with ultrasound transmission gel and a bite guard.



Gynaecology / Urology

Offering a complete line of ultrasound transducer covers for **vaginal scanning** procedures.

Vaginal transducer covers

Trans-vaginal transducers are widely used in gynaecological procedures. This technique brings the transducer into closer proximity to the target organs providing optimal images for use in diagnosis. The Probetection™ transducer covers offers optimal fit for all of the trans-vaginal transducers currently in use. All transducer covers are individually packed available sterile and non-sterile. For these particular gynecology procedures

Palmedic offers a complete line of ultrasound transducer covers to protect the patients and healthcare workers against cross contamination.

Sanitary transducer covers, or a water stand-off cover for **near-field visualization** in urology.

Rectal transducer covers

The use of trans-rectal transducers typically requires two different covers. One of these is a sanitary cover, the other is a water stand-off cover for near-field visualization. The Probetection™ line of rectal transducer covers offers both types to facilitate the correct use of transducers in this application.

Palmedic offers a complete line of ultrasound transducer covers to protect the patients and healthcare workers against cross contamination.

On the next pages you will find a complete list of models and shapes available.



Probetection™ latex transducer covers for gynecology

REF 1100

Non sterile rolled latex transducer cover - Ø Diameter Tip: 33 mm over 195 mm in length.

REF 1100-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 33 mm over 195 mm in length.

REF 1102

Non sterile rolled latex transducer cover - Ø Diameter Tip: 20 mm over 200 mm in length.

REF 1102-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 20 mm over 200 mm in length.

REF 1103

Non sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 200 mm in length.

REF 1103-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 200 mm in length.

REF 1104

Non sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 300 mm in length.

REF 1104-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 300 mm in length.

REF 1106

Non sterile rolled latex transducer cover - Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1106-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1106-04

Sterile unrolled latex transducer cover including cord cover 150x 2300 mm and twist-lock
Ø Diameter Tip: 30mm over 300 mm in length.

REF 1106-04

Sterile rolled latex transducer cover including cord cover 150x 2300 mm and twist-lock
Ø Diameter Tip: 30mm over 300 mm in length.

Probetection™ latex transducer covers for urology

REF 1101

Non sterile rolled latex transducer cover - Ø Diameter Tip: 13,5 mm over 55 mm in length.

REF 1101-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 13,5 mm over 55 mm mm in length.

REF 1102

Non sterile rolled latex transducer cover - Ø Diameter Tip: 20 mm over 200 mm in length.

REF 1102-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 20 mm over 200 mm in length.

REF 1103

Non sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 200 mm in length.

REF 1103-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 200 mm in length.

REF 1104

Non sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 300 mm in length.

REF 1104-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 26 mm over 300 mm in length.

REF 1106

Non sterile rolled latex transducer cover - Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1106-02

Sterile rolled latex transducer cover - Ø Diameter Tip: 30 mm over 300 mm in length.

Probetection™ latex free transducer covers for gyneacology and urology

REF 1200-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 20 mm over 300 mm in length.

REF 1200-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 20 mm over 300 mm in length.

REF 1200-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 20 mm over 300 mm in length.

REF 1202-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1202-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1202-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1203-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 26 mm over 400 mm in length.

REF 1203-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 26 mm over 400 mm in length.

REF 1203-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 26 mm over 400 mm in length.

Probetection™ latex free transducer covers for gyneacology and urology

REF 1204-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1204-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1204-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 30 mm over 300 mm in length.

REF 1205-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 400 mm in length.

REF 1205-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 30 mm over 400 mm in length.

REF 1205-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 30 mm over 400 mm in length.

REF 1206-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 36 mm over 300 mm in length.

REF 1206-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 36 mm over 300 mm in length.

REF 1206-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 36 mm over 300 mm in length.

Probetection™ latex free transducer covers for gyneacology and urology

REF 1207-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 36 mm over 400 mm in length.

REF 1207-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 36 mm over 400 mm in length.

REF 1207-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 36 mm over 400 mm in length.

REF 1208-01

Non sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 40 mm over 300 mm in length.

REF 1208-02

Sterile latex free transducer cover including a twist-lock- Ø Diameter Tip: 40 mm over 300 mm in length.

REF 1208-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and twist-lock Ø Diameter Tip: 40 mm over 300 mm in length.





Radiology / Intra-operative



A wide range of transducers are used in **radiology departments** such as linear, sector and convex.

Transducer covers for radiology

The X-ray department generally carries out all types of ultrasound procedures, for example when taking biopsies of the liver, kidney, breast or pancreas. A wide range of transducers is used, including linear, sector and convex. For these purposes, general sterile procedures require that the probe needs to be protected with a sterile cover.

Palmedic offers a wide range of covers for every type of transducer used by X-ray departments.

The right cover **for all types of transducers** used to image organs during

Intra-operative transducer covers

The right cover for most types of probes used to image organs during surgical interventions. The covers are available as a single cover, a cover including a twist lock, with or without a cable cover and gel syringe. All covers used for intra-operative applications are latex free.

Palmedic offers a complete line of ultrasound transducer covers to protect the patients and healthcare workers against cross contamination.

On the next pages you will find a complete list of models and shapes available.

Probetection™ latex free transducer covers

Radiology and intra operative applications

REF 1209-01

Non sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 40 mm over 400 mm in length.

REF 1209-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 40 mm over 400 mm in length.

REF 1212-01

Non sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 44 mm over 300 mm in length.

REF 1212-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 44 mm over 300 mm in length.

REF 1212-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 44 mm over 300 mm in length.

REF 1212-08

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock and gel syringe.
Ø Diameter Tip: 44 mm over 300 mm in length.

REF 1216-01

Non sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 50 mm over 300 mm in length.

REF 1216-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 50 mm over 300 mm in length.

REF 1216-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 50 mm over 300 mm in length.

REF 1216-08

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock and gel syringe.
Ø Diameter Tip: 50 mm over 300 mm in length.

Probetection™ latex free transducer covers

Radiology and intra operative applications

REF 1220-01

Non sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 60 mm over 300 mm in length.

REF 1220-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 60 mm over 300 mm in length.

REF 1220-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.

Ø Diameter Tip: 60 mm over 300 mm in length.

REF 1220-08

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock and gel syringe.

Ø Diameter Tip: 60 mm over 300 mm in length.

REF 1222-01

Non sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1222-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1222-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.

Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1222-08

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock and gel syringe.

Ø Diameter Tip: 70 mm over 300 mm in length.

Probetection™ latex free transducer covers

Radiology and intra operative applications

REF 1222-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1222-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1222-08

Sterile latex free transducer cover including cord cover 150x 2300 mm , a twist-lock and a 10 ml. gel syringe.
Ø Diameter Tip: 70 mm over 300 mm in length.

REF 1224-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 80 mm over 300 mm in length.

REF 1224-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 80 mm over 300 mm in length.

REF 1224-08

Sterile latex free transducer cover including cord cover 150x 2300 mm , a twist-lock and a 10 ml. gel syringe.
Ø Diameter Tip: 80 mm over 300 mm in length.

REF 1225-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 80 mm over 400 mm in length.

REF 1225-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 80 mm over 400 mm in length.

REF 1225-08

Sterile latex free transducer cover including cord cover 150x 2300 mm , a twist-lock and a 10 ml. gel syringe.
Ø Diameter Tip: 80 mm over 400 mm in length.

Probetection™ latex free transducer covers

Radiology and intra operative applications

REF 1226-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 90 mm over 300 mm in length.

REF 1226-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 90 mm over 300 mm in length.

REF 1226-08

Sterile latex free transducer cover including cord cover 150x 2300 mm , a twist-lock and a 10 ml. gel syringe.
Ø Diameter Tip: 90 mm over 300 mm in length.

REF 1228-02

Sterile latex free transducer cover including a twist-lock - Ø Diameter Tip: 100 mm over 300 mm in length.

REF 1228-06

Sterile latex free transducer cover including cord cover 150x 2300 mm and a twist-lock.
Ø Diameter Tip: 100 mm over 300 mm in length.

REF 1228-08

Sterile latex free transducer cover including cord cover 150x 2300 mm , a twist-lock and a 10 ml. gel syringe.
Ø Diameter Tip: 100 mm over 300 mm in length.





Bite guard



Probetection™ bite guards. To protect your delicate equipment.

REF 1299-01

Non sterile Protective bite guard.

REF 1299-02

Sterile Protective bite guard.



Probetection™ Ultrasound transducer covers.
Optimal protection for use with all types of
ultrasound transducers.





palmedic

Mercatorstraat 22a
7131 PX Lichtenvoorde
Mercatorstraat 22a
7131 PX The Netherlands

Tel: +31 (0) 544 370900
Fax: +31 (0) 544 370925

info@palmedic.eu
www.palmedic.eu

Palmedic is a trade name of Paltax b.v.
Protection™ is a trade mark of Paltax b.v.

www.palmedic.eu